

SPECIFICATION FOR CORRUGATED ALUMINUM PIPE:

SCOPE:  
THIS SPECIFICATION COVERS THE MANUFACTURE AND INSTALLATION OF THE CORRUGATED ALUMINUM PIPE (CAP) SHOWN ON THE PLANS.

MATERIAL:  
THE ALUMINUM COILS SHALL CONFORM TO THE APPLICABLE REQUIREMENTS OF AASHTO M 197 OR ASTM B 744.

PIPE:  
THE CAP SHALL BE MANUFACTURED IN ACCORDANCE WITH APPLICABLE REQUIREMENTS OF AASHTO M 196 OR ASTM B 745. THE PIPE SIZES, GAUGES AND CORRUGATIONS SHALL BE AS SHOWN ON THE PLANS.

ALL FABRICATION OF THE PRODUCT SHALL OCCUR WITHIN THE UNITED STATES.

HANDLING & ASSEMBLY & INSTALLATION:  
SHALL BE IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS.

INSTALLATION:  
SHALL BE IN ACCORDANCE WITH AASHTO STANDARD SPECIFICATIONS FOR HIGHWAY BRIDGES, SECTION 26, DIVISION II OR ASTM B 788 AND IN CONFORMANCE WITH THE PROJECT PLANS AND SPECIFICATIONS. IF THERE ARE ANY INCONSISTENCIES OR CONFLICTS, THE CONTRACTOR MUST BRING THEM TO THE ATTENTION OF THE PROJECT ENGINEER.

IT IS ALWAYS THE CONTRACTOR'S RESPONSIBILITY TO FOLLOW OSHA GUIDELINES FOR SAFE PRACTICES.

CONSTRUCTION LOADS:  
CONSTRUCTION LOADS MAY BE HIGHER THAN FINAL LOADS. FOLLOW THE MANUFACTURER'S GUIDELINES.

CONTECH ID# 0000



THIS PRINT IS OWNED BY CONTECH CONSTRUCTION PRODUCTS, INC. AND MUST BE RETURNED UPON REQUEST. NOT TO BE COPIED.

**SPECIFICATION**

**CORRUGATED PIPE**

**ALUMINUM**

CONTECH DWG #1011254A

SCALE: 1" = 1'-0"

DRAWN BY: JPP  
DATE: 8/16/2000

REV. BY: JSN  
DATE: 3/1/2005

SHEET: 1 of 1